



12.5 HP 42" RIDING LAWN TRACTOR - MODEL NUMBER YE12542A


SCHEMATIC



IGNITION SWITCH

POSITION	CIRCUIT
OFF	M + G
ON	B + L
START	B + S

NOTE
 YOUR TRACTOR IS EQUIPPED WITH A SPECIAL ALTERNATOR SYSTEM. THE LIGHTS ARE NOT CONNECTED TO THE BATTERY, BUT HAVE THEIR OWN ELECTRICAL SOURCE. BECAUSE OF THIS, THE BRIGHTNESS OF THE LIGHTS WILL CHANGE WITH ENGINE SPEED. AT IDLE THE LIGHTS WILL DIM. AS THE ENGINE IS SPEEDED UP, THE LIGHTS WILL BECOME THEIR BRIGHTEST.



WIRING INSULATED CLIPS


NOTE: If wiring insulated clips were removed for servicing of unit, they should be replaced to properly secure your wiring.

● NON-REMOVABLE CONNECTIONS ○ REMOVABLE CONNECTIONS

REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

ELECTRICAL



REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

ELECTRICAL

KEY NO.	PART NO.	DESCRIPTION
1	121265X	Battery 12 Volt 25 Amp
2	4406R	Switch Ign 5 Term Wo/wash/nut
3	124211X	Nut Ignition
4	132642	Harness Ign B&s Dash HI Amm
5	4207J	Cable Ground 6ga 12"black
6	4206J	Cable Battery 6ga 22" Red
7	4799J	Cable Battery 6ga 11red
8	7603J	Tray Battery 7 80 X 5 25 Blk
9	109596X	Clamp Hose Olive
10	109081X	Solenoid
11	10090400	Washer Lock 1/4
12	73350400	Nut Jam Hex 1/4-20 Unc
13	74780408	Bolt Fin Hex 1/4-20uncx1/2 Gr5
14	11050400	Washer Lock Ext Tooth 1/4
15	73510400	Nut Keps Hex 1/4-20 Unc
16	131563	Cover Terminal Red
17	109553X	Switch Interlock Clutch
	104445X	Switch Intlk Clutch Red 2 Term
20	17021008	Screw Tap Hex #10-24unc X 1/2
21	121305X	Switch Plunger Nc Gray
22	121264X	Caps Battery 20/25/30 Amp
23	74760412	Bolt Hex Hd 1/4-20unc X 3/4
24	19091016	Washer 9/32 X 5/8 X 16 Ga
25	10040400	Washer Lock Hvy Helical 1/4
26	73220400	Nut Fin Hex 1/4-20 Unc
27	122147X	Key Ign Molded Generic

KEY NO.	PART NO.	DESCRIPTION
28	108824X	Fuse 30 Amp Auto Green
29	7604J	Tube Plastic 24
30	123620X	Cover Sw Key Blk 1 25 Text Slit
31	110712X	Switch Light Blk Blk Red
32	127441X	Harness Socket Light
33	7662J	Bulb, Light # 1141
34	108236X	Bracket Switch Clutch
35	17021008	Screw Hex Tapping # 10-24 X 1/2
36	130890	Bracket Switch Interlock
37	17021008	Screw Hex Tapping # 10-24 X 1/2
39	102501X	Loop Wire 16 Ga White/red
40	235R	Clip Insulator 3/8 X 9/32 Slot
41	74780408	Bolt Fin Hex 1/4-20uncx1/2 Gr5
42	73680400	Nut Crownlock 1/4-20 Unc
43	71031008	Screw Hex Washer
44	73951000	Nut Keps # 10-32
45	123198X	Nut Plastic Locking Wng 1/4-20
46	102476X	Guard Terminal Blk
47	72240460	Bolt Rdhd Sqnk 1/4-20 X 7-1/2
48	9433R	Ammeter Round 15 Amp
49	131708	Bracket Ammeter 2 242 X 1 180
50	10101000	Washer Lock
51	73911000	Nut
52	19070818	Washer 7/32 X 1/2 X 18 Ga
53	7192J	Tie Cable

NOTE: All component dimensions given in U.S. inches.
1 inch = 25.4 mm

REPAIR PARTS

12.5 HP 42"RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

CHASSIS AND ENCLOSURES


KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	131052	Chassis Weldment 12ga 38/42	54	121890X394	Panel Pnt Lh Side
2	130805	Drawbar 11 Ga 46 5wheel Base	55	19091216	Washer 9/32 x 3/4 x 16 Ga
3	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt	56	73220400	Nut Fin Hex 1/4-20 Unc
6	131360X019	Saddle Silkscr 6sp Str Gn Lt D2	57	7206J	Spacer Split #10 x 3/4 Cad/zin
7	17490608	Screw Thdrol 3/8-16x1/2 Ty-tt	58	19070818	Washer 7/32 x 1/2 x 18 Ga
9	124252X	Dash Black Hole "a" 88	59	73731000	Nut Keps #10-24 Unc
11	132072	Panel Pnt Dash Lh	60	74981020	Screw Mach Cr Pan #10-24 x1-1/4
12	121794X	Cover Access Black Square	66	123198X	Nut Plastic Locking Wng 1/4-20
13	132071	Panel Pnt Dash Rh	71	124392X417	Bezel Asm Pnt
14	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt	72	106395X	Lens Headlight Bar Clear
15	121286X014	Plate Silkscreened Dash	73	17211010	Screw Hex Wsh Hd Tap#10-16x5/8
16	104783X	Dash Pnt Lower	74	106965X	Plate Pnt Sprt Battery (blk)
17	121886X394	Hood Pnt Rally Red Wet	75	104755X	"J" Fastener
18	74180512	Screw Mach Trhd 5/16-18uncx3/4	76	17490512	Screw Thdrol 5/16-18 x 3/4 Tyt
19	19111116	Washer 11/32 x 11/16 x 16 Ga	77	19131210	Washer 13/32 x 3/4 x 10 Ga
20	73510500	Nut Keps 5/16-18 Unc	78	132644X	Bracket Pnt Grille
21	74760620	Bolt Fin Hex 3/8-16unc x 1-1/4	79	17490412	Screw Hexwsh Thdrol 1/4-20x3/4
22	19131312	Washer 13/32 X 13/16 x 12 Ga	80	19091016	Washer 9/32 x 5/8 x 16 Ga
23	73680600	Nut Crownlock 3/8-16 Unc	81	121279X	Support Pnt Lh Tank
24	124130X	Support Pnt Dash	82	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
25	10040400	Washer Lock Hvy Helical 1/4	84	19091216	Washer 9/32 x 3/4 x 16 Ga
26	73220400	Nut Fin Hex 1/4-20 Unc	85	74760532	Bolt Fin Hex 5/16-18uncx2gr2
27	74180512	Screw Mach Trhd 5/16-18uncx3/4	86	121236X	Spacer Split 391x1'25 Blk/zin
28	131716X	Grille Asm Pnt	87	73510500	Nut Keps 5/16-18 Unc
	109872X423	Fender Pnt	88	74760620	Bolt Fin Hex 3/8-16unc x 1-1/4
	109873X	Bracket Pnt Fender	89	73510600	Nut Keps Hex 3/8-16unc
32	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt	90	133685	Baffle Pnt Hood Vertical
33	105465X423	Footrest Pnt Lh (rally Red)	91	74760612	Bolt Hex 3/8-16 x 3/4
34	105464X423	Footrest Pnt Rh (rally Red)	92	73680600	Nut Crownlock 3/8
35	72110606	Bolt Rdhd Sht Sqnk 3/8-16 x3/4	93	11050600	Washer Lock Ext Tooth 3/8
36	73680600	Nut Crownlock 3/8-16 Unc	94	74760612	Bolt Fin Hex 3/8-16unc x 3/4
37	128866	Pad Footrest Jb Lt/yt/gt Die C	95	19131312	Washer 13/32 X 13/16 x 12 Ga
38	105419X423	Strap Pnt Grill	96	73680600	Nut Crownlock 3/8-16 Unc
39	73510500	Nut Keps 5/16-18 Unc	97	17490608	Screw Thdrol 3/8-16x1/2 Ty-tt
41	106784X	Strap Asm Pnt Hinge Rear (blk)	98	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
42	104618X	Strap Asm Pnt Hinge Front	99	105037X	Strip Foam 18"
43	73510400	Nut Keps Hex 1/4-20 Unc	100	2751R	Clip Line Fuel 13/32 Mtg Hole
44	109808X	Latch Chute Blk	101	2751R	Clip Line Fuel 13/32 Mtg Hole
45	74191008	Screw Mach Cr Pan #10-24 x 1/2	102	104915X	Strip Foam
46	10071000	Washer Lock #10			
47	2029J	Nut Weld .327/.304 #10-24			
48	123481X	Bolt Shoulder 1/4-20 Unc			
49	73680400	Nut Crownlock 1/4-20 Unc			
53	121889X394	Panel Pnt Rh Side			

NOTE: All component dimensions given in U. S. inches.
1 inch = 25.4 mm

REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR -- MODEL NUMBER YE12542A

DRIVE



- | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| A | B | C | D | E | F | G | H | I | J | K |
| | | | | | | | | | | |
| 15 | 6 | 71 | 43 | 18 | 61 | 67 | 20 | 32 | 80 | 84 |
| | | | | | | | | | | |
| 16 | | 72 | | 19 | 60 | 68 | | 33 | 81 | |
| | | | | | | | | | | |
| | | 73 | | | 69 | | | | | |

REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

DRIVE

KEY NO.	PART NO.	DESCRIPTION
1	120898X	Transaxle 6sp D 18" T. S/SHF
2	110422X	Spring Return Brake
3	123666X	Pulley Transaxle 18"tires
4	12000028	Ring Retainer # 5100-62
5	121520X	Strap Torque Rh Pnt Blk
6	17490512	Screw Thdrol 5/16-18 x 3/4 Tyt
7	130802	Plate Pnt Shifter
8	131679	Rod Shf Sdl LT/YT
9	19151216	Washer 15/32 x 3/4 x 16ga
10	76020416	Pin Cotter 1/8 x 1 Cad
11	105701X	Washer Plate Shf 388 Sq Hole
12	19091210	Washer 9/32 x 3/4 x 10 Ga
13	71040412	Bolt Fin Hex 1/4-28unfx3/4 Gr8
14	10040400	Washer Lock Hvy Helical 1/4
15	74760540	Bolt Fin Hex 5/16-18 unc x 2-1/2
16	73680500	Nut Crownlock 5/16-18
17	121520X	Strap Pnt Torque Lh
18	74760612	Bolt Fin Hex 3/8-16unc x 3/4
19	73680600	Nut Crownlock 3/8-16 Unc
20	17490512	Screw Thdrol 5/16-18 x 3/4 Tyt
21	121274X	Knob Duckhead 1/2-13unc Blk
	130804	Rod Brake Blk Zinc 26 840
23	73800600	Nut Lock Hex W/wsh 3/8-16unc
24	73350600	Nut Hex Jam 3/8-16 Unc
25	106888X	Spring Rod Brake 2 00 Zinc
26	19131316	Washer 13/32 x 13/16 x 16 Ga
27	76020412	Pin Cotter 1/8 x 3/4 Cad
28	133261	Rod Brake Parking 14 500
29	71673	Cap Parking Brake Black
30	130807	Bracket Mtg Transaxle
31	127275X	Keeper Belt Lh Lt 14 Ga
32	74760512	Bolt Hex Hd 5/16-18unc x 3/4
33	73680500	Nut Crown Lock 5/16-18
34	122424X	Shaft Asm Pedal Foot 1 930
35	120183X	Bearing Nylon Blk 629 Id
36	19211616	Washer 21/32 x 1 x 16 Ga
37	1572H	Pin Roll 3/16 x 1
38	123674X	Pulley Idler Flat
39	74760644	Bolt Fin Hex 3/8-16unc x 2-3/4
40	4470J	Spacer Split 395 x 59 Bzp
41	109070X	Keeper Belt Retainer
42	19131312	Washer 13/32 x 13/16 x 12 Ga
43	73680600	Nut Crownlock 3/8-16 Unc
44	105706X	Bearing Nyl 503 x 628 x 1 25


KEY NO.	PART NO.	DESCRIPTION
45	110812X	Washer Hardened
46	12000039	Ring Klip #t5304-50
47	127783	Pulley Idler V Groove Plastic
48	123789X	Bellcrank Asm
49	123205X	Retainer Belt Style Spring
50	74760624	Bolt Hex Hd 3/8-16unc x 1-1/2
51	73680600	Nut Crownlock 3/8-16 Unc
52	19131316	Washer 13/32 x 13/16 x 16 Ga
53	105710X	Link Clutch 7 66
54	76020412	Pin Cotter 1/8 x 3/4 Cad
55	105709X	Spring Return Clutch 6 75
56	76020412	Pin Cotter 1/8 x 3/4 Cad
57	130801	V-belt Ground Drive 95 25
58	127274X	Keeper Belt RH Lt Pnt/Zinc 16Ga
59	104777X	Retainer Belt Chassis Lh Zinc
60	19131312	Washer 13/32 x 13/16 x 12 Ga
61	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
62	8883R	Cover Pedal Blk Round
63	131002	Pulley Engine
64	71170768	Bolt Finhex 7/16-20unfx4-1/4g5
65	10040700	Washer Lock Hvy Hicl Spr 7/16
66	129921	Keeper Belt Engine Lh Lt
67	74760616	Bolt Fin Hex 3/8-16unc x 1
68	19131312	Washer 13/32 x 13/16 x 12 Ga
69	73680600	Nut Crownlock 3/8-16 Unc
70	131402	Guide Belt Dr Mower Rh
71	74760616	Bolt Fin Hex 3/8-16unc x 1
72	19132012	Washer 13/32 x 1-1/4 x 12 Ga
73	73680600	Nut Crownlock 3/8-16 Unc
74	109502X	Spacer Split 80x1 94 Cad/zinc
75	121749X	Washer 25/32 x 1 1/4 x 16 Ga
76	12000001	Ring E #5133-75
77	123583X	Key Square 2 0 x 1845/ 1865
78	121748X	Washer 25/32 x 1 5/8 x 16ga
79	131935	Bracket Brake Pnt T/a
80	74760512	Bolt Hex Hd 5/16-18unc x 3/4
81	73680500	Nut Crown Lock 5/16-18
82	126197X	Washer 1-1/2 OD X 15132 ID X .250
83	2228M	Key Woodruff #9 3/16 x 3/4
84	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
85	2751R	Clip Line Fuel 13/32 Mtg Hole

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

STEERING ASSEMBLY



REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

STEERING ASSEMBLY


KEY NO.	PART NO.	DESCRIPTION
1	121472X	Wheel Steering Auto Black
2	133988	Axle Asm W/fittings Front
3	130460	Spindle Asm Lh
4	130459	Spindle Asm Rh
5	6266H	Bearing Race Thrust Harden
6	121748X	Washer 25/32 x 1-5/8 x 16 Ga
7	19272016	Washer 27/32 x 1-1/4 x 16 Ga
8	12000029	Ring Klip #T5304-75
9	3366R	Bearing Col Strg Blk
10	130468	Link Drag Sol Ball Jt 20 064
11	10040600	Washer Lock Hvy Hlcl Spr 3/8
12	73610600	Nut Fin Hex 3/8-24 Unf
13	110438X	Spacer Bearing Axle Front
14	74011056	Bolt Hex 5/8-11 Unc x 3-1/2
15	73601000	Nut Hex Jam Lk W/wh 5/8-11 Unc
16	132624	Pin Axle 5/8 x 1 55/1 54 Lg
17	128758	Shaft Asm Strg 18 31x3/4 Yp Lt
18	57079	Washer Thrust 515x 750x 033
19	124035X	Support Shaft
20	126684X	Washer Shim 1/4 x 5/8 x .062
21	10040400	Washer Lock Hvy Helical 1/4
22	71070410	Screw Hex Socket 1/4-20 x 5/8
23	127501	Shaft Asm Pittman
24	109816X	Nyliner Snap In
25	124036X	Bracket Steering
26	12000029	Ring Klip #t5304-75
27	124034X	Gear Sector
28	6266H	Bearing Race Thrust Harden
29	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
30	10040600	Washer Lock Hvy Hlcl Spr 3/8
31	73610600	Nut Fin Hex 3/8-24 Unf
32	130465	Rod Tie Wire Form 19 75 Mech
33	120754X	Bushing Rod Tie Blk Lt
34	19131416	Washer 13/32 x 7/8 x 16ga
35	76020412	Pin Cotter 1/8 x 3/4 Cad
36	1554J	Bushing Strg Blk 742/747 Id
37	17431008	Screw Slftp #10-16 x 1/2 Ty-b
38	121584X	Insert Cap Strg Wh Au Y P Blk
39	100712K	Washer 53 x 2 25 x 160 Zinc
40	73940800	Nut Hex Jam Toplock 1/2-20 Unf
41	100711L	Adapter Wheel Strg 758/ 753id
43	121749X	Washer 25/32 x 1 1/4 x 16 Ga
44	121748X	Washer 25/32 x 1 5/8 x 16ga
45	12000029	Ring Klip #t5304-75
46	121232X	Cap Spindle Fr Top Blk
47	6855M	Fitting Grease

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR -- MODEL NUMBER YE12542A

SEAT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION
1	127427	Seat V350 Blk/blk Std
2	126656X	Bracket Pnt Pivot Seat (blk)
3	74760640	Bolt-hex Fin 3/8-16unc x 2-1/2
4	19131210	Washer 13/32 X 3/4 X 10 Ga
5	2751R	Clip Line Fuel 13/32 Mtg Hole
6	73680600	Nut Crownlock 3/8-16 Unc
7	124181X	Spring Seat Cprsn 2 250 Blk Zi
8	17490640	Scr-hex Wsh Thdrol 3/8-16x2-1/
9	19131614	Washer 13/32 x 1 X 14 Ga
10	131541	Pan Pnt Seat (blk)
11	121251X	Strip Foam Gray Or Black
12	121246X	Bracket Pnt Mounting Switch
13	121248X	Bushing Snap Blk Nyl 50 Id
14	72050411	Bolt Rdhd Sht Nk 1/4-20x1-3/8
15	121249X	Spacer Split 28 x 88 Zinc


KEY NO.	PART NO.	DESCRIPTION
16	121250X	Spring Cprsn 1 27 Blk Pnt
17	123976X	Nut Lock 1/4 Lge Fig Gr 5 Zinc
18	74641008	Screw Sltd Pan Hd #10-32 x 1/2
19	73951000	Nut Keps #10-32 Unf
20	4171R	Clip Insulated 11/32 Mtg Hole
21	105529X	Bolt Shoulder 5/16-18 Unc Blkz
22	73680500	Nut Crown Lock 5/16-18
24	19171912	Washer 17/32 x 1-3/16 x 12 Ga
25	127018X	Bolt Shoulder 5/16-18 X .62
26	120068X	Knob Seat 1/2-13unc Blk
27	131772X	Spacer Pnt Seat
28	131771	Spacer Split

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

REPAIR PARTS


12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

DECALS



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	109821X	Decal Oper Instruction Eng/fr	8	120822X	Decal Caution English/french
2	129057	Decal Engine 12 5hp B&s	9	101892X	Decal Clutch/brake Eng/fr
3	123966X	Decal Hood Rh Yardpro 37 00	10	126192X	Decal Warn Def Eng/fr/dut/ger
4	123965X	Decal Hood Lh Yardpro 37 00	11	126196X	Decal Rotat Blades E/fr/ger/du
5	121549X	Decal Caution Battery Fr/ger	12	126194X	Decal Caut Deflect E/fr/ger/du
6	124051X	Decal Side Panel Lt12	13	125690X	Decal 100 DbA
7	123689X	Decal Fender Yard Pro	-	131603	Manual Oper Generic 42"eng/fr
			-	133350	Manual Parts

WHEELS & TIRES




KEY NO.	PART NO.	DESCRIPTION
1	59192	Cap Valve Tire
2	65139	Stem Valve
3	106222X	Tire F Ts 15 x 6 0 - 6 Service
4	59904	Tube Front (Service Item Only)
5	106732X361	Rim Asm 6"front Silver Service
6	278H	Fitting Grease (Front Wheel Only)
7	9040H	Bearing Flange (Front Wheel Only)
8	106108X361	Rim Asm 8"rear Silver Service
9	106268X	Tire R Ts 18x9 5-8 C Service
10	7152J	Tube Rear (Service Item Only)
11	104757X	Cap Axle Blk 1 50 x 1 00

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A


ENGINE



REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR

42" MOWER



REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

42" MOWER

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	130970	Deck Asm Mower 42"	49	133940	Roller Asm Cam Follower 42"dec
2	130969	V-belt Mower 42" 92 40	50	69180	Nut Lock Esna #10-24 Unc
3	110485X	Bearing Ball Mandrel	51	105529X	Bolt Shoulder 5/16-18 Unc Blkz
4	128774	Housing Mandrel Vented(machd)	52	131845	Arm Asm Pad Brake
5	133172	Shaft Asm Mandrel Vented	53	133944	Washer Hardened Smaller
6	129895	Bearing Ball #6204 (mandrel)	54	131335	Spring Extension
7	127843	Blade Mower High Perf 42"	55	133551	Rod Pivot W/nibs
8	129962	Washer Hard Blade Mower Vented	56	76020312	Pin Cotter 3/32 x 3/4 Cad
9	10030600	Washer Lock Hvy 3/8 Unplated	57	133504	Rod Clutch Secondary W/nibs
10	850857	Bolt 3/8-24x1 25 Gr8 Patched	58	131857	Guard Mandrel Lh 42"
11	128961	Stripper Mower Vented	59	133550	Rod Clutch Primary W/nibs
12	130968	Shield Deflector 42" Black	60	73350600	Nut Hex Jam 3/8-16 Unc
13	121980X	Rod Hinge Brt/blk Zinc 5 75 Lg	61	133205	Trunnion Adj 3/8-16 Unc x 1 30
14	131267	Bracket Deflector Mower 42"	62	4497H	Spring Retainer 1 Zinc/cad
15	110452X	Nut Push Phos & Oil	63	17720410	Screw Hex Thd Cut 1/4-20x5/8 T
16	123713X	Spring Torsion Deflector 2 52	64	127498	Bushing 747 Od x 794 Lg Brass
17	19111016	Washer 11/32 x 5/8 x 16 Ga	65	131870	Spring Return
18	105304X	Cap Sleeve 80x 112 Blk Mower	66	127847	Arm Clutch Secondary
19	73680500	Nut Crown Lock 5/16-18	67	128903	Bolt Shoulder 3/8-16 Unc 1 44
20	72140506	Bolt Rdhd Sqnk 5/16-18 x 3/4	68	12000029	Ring Klip #t5304-75
21	4939M	Retainer Spring	69	121748X	Washer 25/32 x 1 5/8 x 16ga
22	127218	Link Front	70	127845	Keeper Spring 4 000
23	73350800	Nut Jam Hex 1/2-13 Unc	71	132044	Cover Handle Round Black 5 25
24	130171	Trunnion Blk Zinc	72	131813	Lever Asm Clutch Primary Yp
25	73800800	Nylon Washer Ins Nut 1/2-13 x 1/2-13	73	128759	Spring Clutch Mower 2 750 Zinc
26	127224	Link Lift Rh Blk Zinc 6 894 Lt	74	12000022	Ring E Truarc #5133-87
27	128763	Pin Spring Slted 5/16 x 750	75	19292016	Washer 29/32 x 1-1/4 x 16 Ga
28	130832	Arm Suspension Rear	76	131874X	Shaft Asm Lift Yp Lt
29	127223	Link Lift Lh Blk Zinc 7 789 Lt	77	121718X	Lever Asm Pnt Lift
30	73360700	Nut Hex Jam Asf 7/16-20unf	78	23180606	Screw Set Hex Skt 3/8-16 x 3/8
31	110447X	Trunnion Lift W/ 451/ 461 Id	79	121719X	Rod Asm Lever
32	73710700	Nut Crownlock Jam 7/16-20 Unf	80	2876H	Spring 2-1/8
33	133886	Arm Asm Idler 42"	81	122364X	Plunger Lever Lift
34	78158	Bolt 5/16-18 x 1 25 T/t	82	124526X	Button Plunger Black
35	129963	Washer Spacer Mower Vented	83	109413X	Grip Handle Bicycle Matte Blk
36	129861	Pulley Mandrel 42"	84	110810X	Trunnion Dp Stop Dbl Thds Plt
37	73050900	Nut 9/16top Lock Flng Oil Dip	85	19151216	Washer 15/32 x 3/4 x 16ga
38	72110614	Bolt Rdhd 3/8-16uncx1-3/4 Gr5	86	12000037	Ring Klip #t5304-37
39	133943	Washer Hardened	87	110807X	Nut Special
40	131494	Pulley Idler Flat	88	19131016	Washer 13/32 x 5/8 x 16 Ga
41	122052X	Spacer Retainer Pm Mower	89	76020308	Pin Cotter 3/32 x 1/2
42	19131612	Washer 13/32 x 1 x 12 Ga	90	110729X	Rod Adj Lift Zinc 9 00 Wrk Lg
43	133502	Spacer Arm Idler Upper Hdn 42"	91	100734K	Knob Infinite 3/8-16 Unc Black
44	133503	Stiffener Arm Idler Upper 42"	92	134753	Stiffener Bracket
45	73680600	Nut Crownlock 3/8-16 Unc	93	8330H	Key Woodruff 1/4 x 1
46	72110618	Bolt Rdhd Sqnk 3/8-16 x 2-1/4	-	132711	Deck Serv 42"hp Mech E/f/g/d
47	133835	Fastner Christmas Tree			
48	131340	Bolt Shldr 10-24 Zinc Gr 5 42"			


NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

FOOTE/DANA TRANSAXLE - MODEL NUMBER 4360-07

TRANSAXLE



REPAIR PARTS

12.5 HP 42" RIDING LAWN TRACTOR - - MODEL NUMBER YE12542A

FOOTE/DANA TRANSAXLE - MODEL NUMBER 4360-07

RANSAXLE

KEY PART NO. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 3865	Housing, Upper	41 3645	Sprocket, 9 Teeth
2 1919	Screw, Tapping, Large 1/4-20 x .734	42 3853	Gear, Bevel, 42 Teeth
3 1151	Ball, Detent	43 3749	* Washer, Plain .758 x 1.12 x .010
4 3626	Spring, Detent	3652	* Washer, Plain .758 x 1.12 x .015
5 3623	Screw, Set	3693	* Washer, Plain .758 x 1.12 x .020
6 4336	Assembly, Shifter	3653	* Washer, Plain .758 x 1.12 x .025
7 3884	O-Ring	3408	* Washer, Plain .758 x 1.25 x .020
8 3885	* Washer, Plain .505 x .942 x .006	3732	* Washer, Plain .758 x 1.25 x .025
3886	* Washer, Plain .505 x .942 x .010	3184	* Washer, Plain .758 x 1.25 x .031
3887	* Washer, Plain .505 x .942 x .015	3733	* Washer, Plain .758 x 1.25 x .035
3888	* Washer, Plain .505 x .942 x .020	3198	* Washer, Plain .758 x 1.25 x .040
3889	* Washer, Plain .505 x .942 x .026	3734	* Washer, Plain .758 x 1.25 x .045
3121	* Washer, Plain .505 x .942 x .030	3735	* Washer, Plain .758 x 1.25 x .050
3890	* Washer, Plain .505 x .942 x .040	3736	* Washer, Plain .758 x 1.25 x .055
9 1100	Ring, Retaining	3180	* Washer, Plain .758 x 1.25 x .062
10 1099	Ring, Retaining	44 3882	Shaft, Drive
11 1959	* Washer, Plain .632 x 1.00 x .010	45 3646	Gear, Spur, 12 Teeth
1441	* Washer, Plain .632 x 1.00 x .020	46 3707	Gear, Spur, 15 Teeth
1423	* Washer, Plain .632 x 1.00 x .026	47 3866	Gear, Spur, 20 Teeth
1082	* Washer, Plain .632 x 1.00 x .031	48 3719	Gear, Spur, 25 Teeth
1424	* Washer, Plain .632 x 1.00 x .036	49 3868	Gear, Spur, 28 Teeth
1068	* Washer, Plain .632 x 1.00 x .041	50 3683	Gear, Spur, 31 Teeth
1425	* Washer, Plain .632 x 1.00 x .046	51 1145	Washer, Plain .632 x 1.00 x .060
1358	* Washer, Plain .632 x 1.00 x .050	52 3191	Seal, Felt
1145	* Washer, Plain .632 x 1.00 x .060	53 3180	Washer, Plain .758 x 1.25 x .062
1319	* Washer, Plain .632 x 1.00 x .082	54 3880	Axle, Left Hand
12 3312	O-Ring	55 3780	Gear, Miter, 15 Teeth
13 3876	Washer, Plain .632 x 1.38 x .046	56 3656	Ring, Retaining
14 1374	Key, Woodruff #9	57 3839	Gear, Spur, 32 Teeth
15 4134	Assembly, Kit, Input Shaft	58 3919	Shaft, Cross
16 3590	Pinion, Bevel, 14 Teeth	59 3781	Gear, Miter, 15 Teeth
17 3624	Ring, Retaining	60 3881	Axle, Right Hand
18 3625	Chain, 24 Pitches	61 3864	Housing, Lower
19 1542	Bearing, Flange	62 3920	Puck, Friction
20 3773	Gear, Spur, 14 Teeth	63 3276	Disc, Brake
21 3631	Collar, Clutch	64 3758	Spacer
22 3828	Key, Clutch	65 3916	Jaw, Brake
23 1369	Key, Woodruff	66 3843	Pin, Dowel
24 3883	Shaft, Intermediate	67 3915	Screw, Tapping, Large 5/16-18 x 2.25
25 1375	Key, Woodruff #61	68 3768	Lever, Actuating
26 3627	Ring, Retaining	69 3760	Washer, Plain .321 x 1.00 x .055
27 3830	Sprocket, 18 Teeth	70 3917	Bracket, Anti-Rotation
28 3841	Spacer	71 3847	Locknut 5/16-24
29 3786	Gear, Spur, 37 Teeth	72 3724	Screw, Tapping, Large 5/16-18 x 1.44
30 3785	Gear, Spur, 35 Teeth	73 3906	Washer, Plain .343 x .81 x .059
31 3867	Gear, Spur, 30 Teeth	74 3907	Puck, Friction
32 3783	Gear, Spur, 25 Teeth	75 4300	Grease
33 3869	Gear, Spur, 22 Teeth		
34 3741	Gear, Spur, 19 Teeth		
35 3628	Washer, Plain .640 x 1.37 x .061		
36 1423	Washer, Plain .632 x 1.00 x .026		
37 3422	Spacer .630 x 1.00 x .169		
38 4286	Assembly, Gear, Combination of 12 Teeth and 35 Teeth		
3877	Shaft, Idler		
3901	Spacer .635 x .875 x .755		

* Use In Various Combinations To Maintain Proper Clearances.

** Order Key Number 15

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm